



KRATOS EQUIPMENT  
 7750 Georgetown Road, Indianapolis, IN 46268  
 Sales: (317) 634-2550  
 Tech Service: (887) 368-2797

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Item #: \_\_\_\_\_ Qty: \_\_\_\_\_  
 Model: \_\_\_\_\_

# WORKTOP REFRIGERATORS

Model:  69K-814HC  69K-815HC  69K-816HC  69K-817HC



69K-814HC



69K-815HC



69K-816HC



69K-817HC

KRATOS Worktop Refrigerators are designed for optimal performance, durability and reliability. Three space efficient sizes ensure your application storage requirements can be cost-effectively satisfied.

## FEATURES

- Easy to grip recessed drawer handles
- Integrated stainless steel backsplash for reliable food preparation
- 3" casters are standard
- Adjustable shelves (one (1) per section/door)
- Available in multiple sizes to suit your needs
- Large LED temperature display is easily visible from up to 15 feet away

## TEMPERATURE

- Holding temperature: 34° to 41°F (1° to 5°C)
- Forced-air refrigeration delivers consistent temperature regulation
- Solid-state controls deliver consistent, easily adjustable temperature performance
- Automatic defrost system maintains the ideal storage conditions at all times

## CONSTRUCTION


- Exterior Material: Durable, easy to clean stainless steel
- Interior Material: Painted Aluminum
- Urethane insulated walls and doors
- Heavy duty plastic coated shelves

## REFRIGERANT

R600a (-814HC/091/092)  
 R290a (-817HC)

## ELECTRIC

115/60Hz/1 Ph (NEMA 5-15)



NEMA 5-15P



Intertek  
 Conforms to  
 ANSI-NSF 7



Intertek  
 Conforms to  
 ANSI UL 471



Environmentally  
 Friendly



DOE 2017  
 Compliant

## KRATOS WARRANTY (USA / CANADA)

One (1) year parts  
 One (1) year on-site labor  
 Four (4) additional years (Five (5) total) for the compressor (part only)  
 Administered by KRATOS EQUIPMENT, 887.368.2797  
 24/7 tech support provided

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice. While we exercise good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications.

By using the information provided, the user assumes all risks in connection with such use.


The built in performance enhancing functions ensure that given proper attention and preventative maintenance, each KRATOS will deliver years of trouble free, reliable, low maintenance, efficient operation.



KRATOS EQUIPMENT  
 7750 Georgetown Road, Indianapolis, IN 46268  
 Sales: (317) 634-2550  
 Tech Service: (887) 368-2797

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Item #: \_\_\_\_\_ Qty: \_\_\_\_\_  
 Model: \_\_\_\_\_

# WORKTOP REFRIGERATORS



	External Dimensions in / mm	Internal Dimensions in / mm	Capacity	Temperature Range	Voltage	Max Amp Draw	Charge Size	Unit Weight	Shipping Weight
<b>69K-814HC</b>	27.8 x 29.9 x 39 706 x 763 x 991	22.9 x 18.8 x 24.5 581 x 478 x 622	6.5 Cu Ft 184 L	34° to 40°F 2° to 5° C	115V/60Hz/1	5	R600a 2.47 oz	185 lb 84 kg	202.8 lb 92 kg
<b>69K-815HC</b>	48.2 x 29.9 x 39 1224 x 763 x 991	43.5 x 18.8 x 24.5 1104 x 478 x 622	12 Cu Ft 340 L	34° to 40°F 2° to 5° C	115V/60Hz/1	5	R600a 2.65 oz	266.7 lb 121 kg	291 lb 132 kg
<b>69K-816HC</b>	61.2 x 29.9 x 39 1554 x 763 x 991	56.2 x 18.8 x 24.5 1428 x 478 x 622	15.5 Cu Ft 439 L	34° to 40°F 2° to 5° C	115V/60Hz/1	5	R600a 2.82 oz	319.6 lb 145 kg	346 lb 157 kg
<b>69K-817HC</b>	71.7 x 29.9 x 39 1821 x 763 x 991	66.9 x 18.8 x 24.5 1700 x 478 x 622	18 Cu Ft 510 L	34° to 40°F 2° to 5° C	115V/60Hz/1	7	R290a 4.59 oz	374.7 170 kg	401.2 lb 182 kg

Due to periodic changes in designs, methods, procedures, policies and regulations, the specifications contained in this sheet are subject to change without notice.  
 While we exercise good faith efforts to provide information that is accurate, we are not responsible for errors or omissions in information provided or conclusions reached as a result of using the specifications.  
 By using the information provided, the user assumes all risks in connection with such use.